

 **Iervad**

2013

When you want it right, you must choose right!

Lervad is synonymous with quality furniture and accessory for the creative and practical teaching of Design & Technology in schools, colleges and other educational institutions.

Our palette of benches and tables includes flexible technology benches, flush top benches, work tables and age-fitted work centres. Our roller shutter cabinets are space saving and are used for general storage or as functionally fitted tool cabinets.

Everything is highest quality and design - functional and visual.

It is our obligation to be at the forefront of the development in demands and wishes among the users. Thus our catalogue is a static picture of our program of standard solutions only. Please note that our product palette and specifications change over time.

If you do not find what you are looking for when browsing the catalogue, we still like to help you. We also offer solutions to customer specifications. Feel free to contact us for further information.

We trust you will enjoy yourself.



LERVAD (U.K.) Ltd.

Tel: 020 7374 8440

Fax: 020 7374 8438

mail@lervad.com

www.lervad.com

LIST OF CONTENTS:

Prices and delivery	2
Technology bench	3
Flush top workbench	9
Jewellers bench	14
Line bench	16
Work table	18
Work centre	20
Roller shutter cabinet	22
Tool rack	28
X390 Modular cabinet	29
General sales and delivery terms	31

Prices and delivery

Prices

All prices are exclusive of VAT.

Delivery is free to all UK mainland addresses for orders with a value above £ 1,000 excl. VAT.

For orders with a value below £ 1,000 excl. VAT a handling and delivery charge applies as follows:

Up to £	100:	£	20
Up to £	200:	£	30
Up to £	500:	£	50
Up to £	1,000:	£	80

Price validity

Our listed prices are without obligation. For actual valid prices please check our website or call our office.

Time of delivery

The time of delivery will be informed on receipt of order. Normally delivery takes place within 3-5 weeks from receipt of formal order.

Packing and delivery

Deliveries are made by trucks with tail lift.

All packing materials are included in the prices, however, assembly and placing in the rooms are not included.

Payment

Unless otherwise agreed terms of payment are net within 15 days from date of invoice.

For further please request our General Sales and Delivery Terms.

Single technology bench



4-Place technology bench is a compact solution with 4 work places at a square top of 1200 x 1200 mm. In the centre a common tool well is integrated.

A shelf or a cupboard may be integrated in the open frame utilizing the free space under the bench.

For frequent height adjustment the bench is available with an adjustable frame. Alternatively Lervad 60 mm height converter may be fitted to the frame.



Group technology bench



Lervad technology bench is for workshops with highest functionality in focus. The bench has integrated tool well, woodwork vices and 2 rows for bench dogs.

Single technology bench is available in two different sizes, 800 mm or 1320 mm long. The longer bench may be equipped with an integrated cupboard.

For frequent height adjustment the bench is available with an adjustable frame. And for wheel chair users a bench with a tilt functions is available.



4-Place technology bench




Group technology bench has all the same features as single technology bench.

Organizing more benches in a group adds to the versatility of each bench.

Larger work pieces may be clamped across more benches both side by side and opposing.

Height adjustable benches and benches for special needs may be fully integrated.




Multi-functional workspace



Clamping on top

The bench dogs make clamping on top of the bench easy. Even awkward shaped work pieces are fixed in a secure manner.

When choosing group technology bench the work on larger work pieces becomes a well organized task. The work piece is ideally supported and the parallel alignment of the benches makes clamping across more benches possible.



Additional storage

On 4-Place technology bench storage is provided by integrating a shelf of laquered plywood in the frame. And even more storage by choosing an integrated cupboard. It has two sections with access from opposing sides both equipped with a quality lock.



Special needs

Single and group technology bench offers a unique solution for special needs students.

When working at an angle adjustable bench wheelchair users have the same working options as other students working at an ordinary bench.

Integrated woodwork vices

Both the end vice and the side vice are fully integrated and make traditional clamping a simple task.

The end vice has jaws strengthened by hornbeam edge inserts and span up to 270 x 180 mm.

The side vice is fully open between the jaws and span up to 185 x 93 cm.



Easy conversion for different tasks

A workshop with Lervad technology benches is truly multi material.

With protective covers and mechanics vices on a vice holders the workshop is ready for metal work.

For ordinary desk work flush tops are applied on to the bench.

When not in use flush tops and protective covers are conveniently accommodated on a purpose designed trolley.



Ergonomics and flexibility

Correct working position is best achieved when choosing a height adjustable bench.

If frequent repositioning of the bench is a requirement, a set of jockey wheels fitted to the one pair of legs assures easy moving.



Planning with group technology bench


The group technology benches are placed in one or more groups defined by the size and shape of the room.

A group may have a mix of benches for either right- or lefthanded use, and include both short and long benches.

For wheelchair users an angle and height adjustable bench should be integrated.

In single sided groups the tool well should be fixed to a wall or supported by separate supporting legs.


Group technology bench is a superb choice for multi-function workshops. The bench is unsurpassed for woodwork, and ideal for ordinary deskwork and metalwork using the relevant accessories.



Single sided group




Double sided group



(Drawings are not in scale)

Typical groupings



Price examples

Lervad technology bench 800 mm (model 620) with 700 mm distance between benches.

Prices excl. VAT	4 places		6 places		8 places		10 places	
	No.	£	No.	£	No.	£	No.	£
Group technology bench	4	1920.-	6	2880.-	8	3840.-	10	4800.-
Assembly tool well 1000 mm			1	130.-	2	260.-		
Assembly tool well 1500 mm	1	160.-	1	160.-	1	160.-	3	480.-
Total for woodwork		2080.-		3170.-		4260.-		5280.-
+ Flush tops, 1500 x 880 mm	2	150.-	2	150.-	4	300.-	4	300.-
Total for desk- and woodwork		2230.-		3320.-		4560.-		5580.-
+ Protective cover	4	200.-	6	300.-	8	400.-	10	500.-
+ Holder for mechanics vice	4	200.-	6	300.-	8	400.-	10	500.-
+ Mechanics vice, Record, 75 mm	4	340.-	6	510.-	8	680.-	10	850.-
Total for desk-, wood- & metalwork		2970.-		4430.-		6040.-		7430.-

Product program and prices (NB! Illustrations may include accessories)

Single technology bench



Item no.	With open gate frame				Price excl. VAT	
609 40 65	Bench top L=800 mm	right-handed	height	65 cm	£	560.-
609 40 72	-	-	-	72 cm		
609 40 78	-	-	-	78 cm		
609 40 83	-	-	-	83 cm		
609 41 65	-	left-handed	-	65 cm		
609 41 72	-	-	-	72 cm		
609 41 78	-	-	-	78 cm		
609 41 83	-	-	-	83 cm		
610 10 72	Bench top L=1320 mm	right-handed	-	72 cm	£	720.-
610 10 76	-	-	-	76 cm		
610 10 83	-	-	-	83 cm		
610 11 72	-	left-handed	-	72 cm		
610 11 76	-	-	-	76 cm		
610 11 83	-	-	-	83 cm		
With integrated cupboard						
610 30 72	Bench top L=1320 mm	right-handed	height	72 cm	£	985.-
610 30 76	-	-	-	76 cm		
610 30 83	-	-	-	83 cm		
610 31 72	Bench top L=1320 mm	left-handed	-	72 cm		
610 31 76	-	-	-	76 cm		
610 31 83	-	-	-	83 cm		
With height adjustable frame						
609 70 68	Bench top L=800 mm	right-handed	height	68 - 96 cm	£	1480.-
609 71 68	-	left-handed	-	68 - 96 cm		
610 70 68	Bench top L=1320 mm	right-handed	-	68 - 96 cm	£	1525.-
610 71 68	-	left-handed	-	68 - 96 cm		
With angle and height adjustable frame						
610 80 70	Bench top L=1320 mm	right-handed	height	70 - 100 cm	£	2200.-
610 81 70	-	left-handed	-	70 - 100 cm		
Accessories						
652 51 01	Holder for hammer and try square incl. screws for mounting				£	10.-
652 51 02	Clamping sublayer unit incl. screws for mounting				£	10.-
105 00 500	Portable Mechanics Vice, Record, 75 mm jaw width				£	85.-
640 02 00	Holder for Portable Mechanics Vice				£	50.-
660 20 00	Protective cover for model 609, right-handed				£	50.-
660 20 01	-	left-handed				
660 21 00	Protective cover for model 610, right-handed				£	55.-
660 21 01	-	left-handed				

4-Place technology bench



Item no.	With open gate frame				Price excl. VAT	
632 50 65	Bench top 1200 x 1200 mm	right-handed	height	65 cm	£	1350.-
632 50 72	-	-	-	72 cm		
632 50 76	-	-	-	76 cm		
632 50 79	-	-	-	79 cm		
632 50 83	-	-	-	83 cm		
632 51 65	-	left-handed	-	65 cm		
632 51 72	-	-	-	72 cm		
632 51 76	-	-	-	76 cm		
632 51 79	-	-	-	79 cm		
632 51 83	-	-	-	83 cm		

Product program and prices (continued)

4-Place technology bench (continued)



Item no.	With integrated cupboard				Price excl. VAT	
632 30 76	Bench top 1200 x 1200 mm	right-handed	height	76 cm	£	1750.-
632 30 79	-	-	-	79 cm		
632 30 83	-	-	-	83 cm		
632 31 76	-	left-handed	-	76 cm		
632 31 79	-	-	-	79 cm		
632 31 83	-	-	-	83 cm		



With height adjustable frame						
632 70 71	Bench top 1200 x 1200 mm	right-handed	height	68 - 96 cm	£	2470.-
632 71 71	-	left-handed	-	68 - 96 cm		

Accessories						
646 00 10	Height converter	factory mounted			£	75.-
643 00 00	Jockey-wheels	factory mounted			£	50.-
647 00 40	Shelf of birch plywood				£	40.-
640 07 00	Rails for accommodating tool racks	factory mounted			£	65.-
626 32 00	Flip tool well				£	70.-
654 14 00	Flush top 1400 x 700 mm	NB! 2 pcs. per bench			£	70.-
659 14 00	Trolley for up to 12 flush tops				£	420.-
946 14 00	Wall storage for up to 12 flush top				£	350.-
105 00 500	Mechanics vice	Record 75 mm jaw width			£	85.-
640 01 00	Holder for mechanics vice				£	50.-
660 32 26	Protective cover	NB! 4 pcs. per bench			£	45.-
661 02 00	Wall fixture for 12 protective covers				£	55.-

Group technology bench



Item no.	With open gate frame				Price excl. VAT	
620 40 65	Bench top L=800 mm	right-handed	height	65 cm	£	480.-
620 40 72	-	-	-	72 cm		
620 40 78	-	-	-	78 cm		
620 40 83	-	-	-	83 cm		
620 41 65	-	left-handed	-	65 cm		
620 41 72	-	-	-	72 cm		
620 41 78	-	-	-	78 cm		
620 41 83	-	-	-	83 cm		
621 40 65	Bench top L=1320 mm	right-handed	-	65 cm	£	530.-
621 40 72	-	-	-	72 cm		
621 40 78	-	-	-	78 cm		
621 40 83	-	-	-	83 cm		
621 41 65	-	left-handed	-	65 cm		
621 41 72	-	-	-	72 cm		
621 41 78	-	-	-	78 cm		
621 41 83	-	-	-	83 cm		



With height adjustable frame						
620 70 68	Bench top L=800 mm	right-handed	height	68 - 96 cm	£	1450.-
620 71 68	-	left-handed	-	68 - 96 cm		
621 70 68	Bench top L=1320 mm	right-handed	-	68 - 96 cm	£	1480.-
621 71 68	-	left-handed	-	68 - 96 cm		



With angle and height adjustable frame						
621 80 70	Bench top L=1320 mm	right-handed	height	70 - 100 cm	£	2130.-
621 81 70	Bench top L=1320 mm	left-handed	-	70 - 100 cm		

Product program and prices (continued)

Group technology bench (continued)

Item no.	Accessories	Price excl. VAT
626 10 00	Assembly tool well 1000 mm	£ 130.-
626 15 00	- 1500 mm	£ 160.-
626 00 65	Supporting leg for tool well height 65 cm	£ 30.-
626 00 72	- height 72 cm	
626 00 78	- height 78 cm	
626 00 83	- height 83 cm	
652 51 01	Holder for hammer and try square incl. screws for mounting	£ 10.-
652 51 02	Clamping sublayer unit incl. screws for mounting	£ 10.-
654 15 00	Flush top 1500 x 880 mm	£ 75.-
659 15 00	Trolley for 12 flush tops	£ 420.-
946 15 00	Wall storage for 12 flush tops	£ 350.-
105 00 500	Mechanics vice Record 75 mm jaw width	£ 85.-
640 02 00	Holder for mechanics vice	£ 50.-
660 20 00	Protective cover for model 620 right-handed	£ 50.-
660 20 01	- left-handed	
660 21 00	Protective cover for model 621 right-handed	£ 55.-
660 21 01	- left-handed	
661 02 00	Wall fixture for 12 protective covers	£ 55.-

Specifications and measurements

Model		609	610	620	621	632
L/W - Top (tool well at the end)	mm	980 x 650 (270)	1500 x 695 (270)			
L/W - Top (tool well at the side)	mm		1320 x 695 (270)			
L/W - Top				800 x 515 (270)	1320 x 515 (270)	1200 x 1200
With open gate frame						
- height	cm	65, 72, 78, 83	72, 76, 83	65, 72, 78, 83	65, 72, 78, 83	65, 72, 76, 79, 83
- weight	kg	25	37	25	37	70
With integrated cupboard						
- W/H/D cupboard	mm		1100 x 540 x 250			680 x 600 x 770
- height	cm		72, 76, 83			76, 79, 83
- weight	kg		54			78
With height adjustable frame						
- height	cm	68 - 96	68 - 96	68 - 96	68 - 96	68 - 96
- weight	kg	36	48	36	48	82
With angle, height adjustable frame						
- height	cm		70 - 100		70 - 100	
- weight	kg		48		48	

Square flush top workbench



Lervad flush top workbench has a 40 mm top and is the natural choice for workplaces with varied tasks.

The bench has 2 or 4 places and is designed for easy change of task.

Usually the bench is equipped with woodwork vices and used for working on resistant materials.

Choose between Lervad's vice of own design or a vice of cast iron with wooden fitting and jaws.



Junior flush top workbench is a square bench with a top of 30 mm solid beech.

The bench has 4 working places for young D&T kids and is designed for varying tasks. It is usually equipped with woodwork vices and other accessories selected for other D&T applications.

A shelf may be integrated in the frame.



Rectangular flush top workbench



Right bench for the task

For 2 workplaces a rectangular bench is most convenient with places on opposite sides.

For 4 workplaces both rectangular and square benches are good solutions and provide efficient workspace.

Flush top bench is available with a choice of bench top.

As standard you have 3 options:

- Solid beech
- 2-layer woodfibre with solid beech edge
- Solid beech with flip tool well (only model 634)



Functional options

Flexibility

Most benches are used as multi-function workbenches and Lervad's range of accessories shows its worth as portable or fixed features.

However, the bench is also ideal as base for light machinery or simply as a heavy duty worktable.



Ergonomics

Flush top workbench is available with a height adjustable frame for free setting of the working height.

As alternative Lervad height converter fitted to the open gate frame may adjust the height by 60 mm.


Jockey-wheels mounted at the one end gate assure easy moving.

For metal workshops

Lervad Flush Top Workbench is an outstanding choice for permanent metalwork.

The bench accommodates 2 or 4 fixed mechanics vices.

In order to prevent damage and to assure extra durability a protective steel rail can be layed into the edge of the bench.



Product program and prices (NB! Illustrations may include accessories)

Junior Flush top 1100 x 1100 mm - model 631



Item no.	With open gate frame			Price excl. VAT	
631 10 60	Flush solid beech	height	60 cm	£	450.-
631 10 66	-	-	66 cm		
631 10 72	-	-	72 cm		

Accessories

Item no.	Accessories			Price excl. VAT	
646 00 10	Height converter	factory mounted		£	75.-
643 00 00	Jockey-wheels	factory mounted		£	50.-
647 00 40	Shelf of birch plywood			£	40.-
689 08 70	Woodcraft Vice	200 mm jaw width		£	105.-

Flush top 1200 x 1200 mm - model 634



Item no.	With open gate frame			Price excl. VAT	
634 50 79	Flush solid beech	height	79 cm	£	510.-
634 50 83	-	-	83 cm		
634 51 79	2-layer woodfibre w/ beech edge	-	79 cm	£	510.-
634 51 83	-	-	83 cm		
634 52 79	Solid beech w/ flip tool well	-	79 cm	£	560.-
634 52 83	-	-	83 cm		



With integrated cupboard					
634 30 79	Flush solid beech	height	79 cm	£	900.-
634 30 83	-	-	83 cm		
634 31 79	2-layer woodfibre w/ beech edge	-	79 cm	£	900.-
634 31 83	-	-	83 cm		
634 32 79	Solid beech w/ flip tool well	-	79 cm	£	950.-
634 52 83	-	-	83 cm		



With height adjustable frame					
634 70 67	Flush solid beech	height	64-92 cm	£	1680.-
634 71 67	2-layer woodfibre w/ beech edge	-	64-92 cm	£	1680.-
634 72 67	Solid beech w/ flip tool well	-	64-92 cm	£	1730.-

Flush top 1200 x 750 mm - model 636



Item no.	With open gate frame			Price excl. VAT	
636 10 79	Flush solid beech	height	79 cm	£	430.-
636 10 83	-	-	83 cm		
636 11 79	2-layer woodfibre w/ beech edge	-	79 cm	£	430.-
636 11 83	-	-	83 cm		



With integrated cupboard					
636 30 79	Flush solid beech	height	79 cm	£	770.-
636 30 83	-	-	83 cm		
636 31 79	2-layer woodfibre w/ beech edge	-	79 cm	£	770.-
636 31 83	-	-	83 cm		



With height adjustable frame					
636 70 64	Flush solid beech	height	64-92 cm	£	1100.-
636 71 64	2-layer woodfibre w/ beech edge	-	64-92 cm	£	1100.-

Product program and prices (continued)

Flush top 1500 x 750 mm - model 637



Item no.	With open gate frame				Price excl. VAT	
637 10 79	Flush solid beech	long frame	height	79 cm	£	490.-
637 10 83	-	-	-	83 cm		
637 11 79	2-layer woodfibre w/ beech edge	-	-	79 cm	£	490.-
637 11 83	-	-	-	83 cm		
637 15 79	Flush solid beech	short frame	-	79 cm	£	480.-
637 15 83	-	-	-	83 cm		
637 16 79	2-layer woodfibre w/ beech edge	-	-	79 cm	£	480.-
637 16 83	-	-	-	83 cm		



With integrated cupboard						
637 30 79	Flush solid beech	long frame	height	79 cm	£	830.-
637 30 83	-	-	-	83 cm		
637 31 79	2-layer woodfibre w/ beech edge	-	-	79 cm	£	830.-
637 31 83	-	-	-	83 cm		
637 35 79	Flush solid beech	short frame	-	79 cm	£	810.-
637 35 83	-	-	-	83 cm		
637 36 79	2-layer woodfibre w/ beech edge	-	-	79 cm	£	810.-
637 36 83	-	-	-	83 cm		



With height adjustable frame						
637 70 66	Flush solid beech	long frame	height	64-92 cm	£	1150.-
637 71 66	2-layer woodfibre w/ beech edge	-	-	64-92 cm	£	1150.-
637 75 66	Flush solid beech	short frame	-	64-92 cm	£	1130.-
637 76 66	2-layer woodfibre w/ beech edge	-	-	64-92 cm	£	1130.-

Flush top 1500 x 900 mm - model 638



Item no.	With open gate frame				Price excl. VAT	
638 10 79	Flush solid beech	long frame	height	79 cm	£	560.-
638 10 83	-	-	-	83 cm		
638 15 79	-	short frame	-	79 cm	£	540.-
638 15 83	-	-	-	83 cm		
638 11 79	2-layer woodfibre w/ beech edge	long frame	-	79 cm	£	560.-
638 11 83	-	-	-	83 cm		
638 16 79	-	short frame	-	79 cm	£	540.-
638 16 83	-	-	-	83 cm		



With integrated cupboard						
638 30 79	Flush solid beech	long frame	height	79 cm	£	900.-
638 30 83	-	-	-	83 cm		
638 35 79	-	short frame	-	79 cm	£	870.-
638 35 83	-	-	-	83 cm		
638 31 79	2-layer woodfibre w/ beech edge	long frame	-	79 cm	£	900.-
638 31 83	-	-	-	83 cm		
638 36 79	-	short frame	-	79 cm	£	870.-
638 36 83	-	-	-	83 cm		



With height adjustable frame						
638 70 67	Flush solid beech	long frame	height	64-92 cm	£	1270.-
638 71 67	2-layer woodfibre w/ beech edge	long frame	-	64-92 cm	£	1270.-
638 75 67	Flush solid beech	short frame	-	64-92 cm	£	1250.-
638 76 67	2-layer woodfibre w/ beech edge	short frame	-	64-92 cm	£	1250.-

Product program and prices (continued)

Flush top 1800 x 900 mm - model 639



Item no.	With open gate frame	Price excl. VAT
639 15 79	Flush solid beech height 79 cm	£ 580.-
639 15 83	- 83 cm	
639 16 79	2-layer woodfibre w/ solid beech edge 79 cm	£ 580.-
639 16 83	- 83 cm	



Item no.	With integrated cupboard	Price excl. VAT
639 35 79	Flush solid beech height 79 cm	£ 920.-
639 35 83	- 83 cm	
639 36 79	2-layer woodfibre w/ solid beech edge 79 cm	£ 920.-
639 36 83	- 83 cm	



Item no.	With height adjustable frame	Price excl. VAT
639 70 67	Flush solid beech height 64-92 cm	£ 1290.-
639 71 67	2-layer woodfibre w/ solid beech edge 64-92 cm	£ 1290.-

Accessories

Item no.	Accessories	Price excl. VAT
646 00 00	Height converter	£ 75.-
643 00 00	Jockey-wheels	£ 50.-
640 07 00	Rails for tool racks for model 634	£ 65.-
647 00 40	Shelf of birch plywood for model 634	£ 40.-
647 00 13	- for model 636 & 637 w/short frame	£ 55.-
647 00 23	- for model 637 w/long frame	£ 60.-
647 00 16	- for model 638 w/short frame	£ 60.-
647 00 26	- for model 638 w/long frame & model 639	£ 65.-
689 08 75	Woodwork vice 280 mm jaw width	£ 110.-
640 06 50	Woodcraft vice Record V175, incl. fitting with wooden jaws	£ 110.-
105 34 000	Hold-down clamp span 75 mm	£ 45.-
105 00 600	Mechanics vice Record 100 mm jaw width	£ 90.-
105 00 500	- Record 75 mm jaw width	£ 85.-
640 03 00	Holder for mech. vice Record 75 mm jaw width	£ 75.-
677 12 00	Protective steel rail 1200 mm, for model 634 & 636	£ 40.-
677 15 00	- 1500 mm, for model 637 & 638	£ 45.-
677 18 00	- 1800 mm, for model 639	£ 50.-

Specifications and measurements

Model		631	634	636	637	638	639
Bench top L/W	mm	1100 x 1100	1200 x 1200	1200 x 750	1500 x 750	1500 x 900	1800 x 900
With open gate frame							
- height	cm	60, 66, 72	79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg	45	55	42	52	58	70
With integrated cupboard							
- W/H/D, without overhang	mm			1100/540/600	1390/540/600	1390/540/750	
- W/H/D, with overhang	mm		680/600/770		1100/540/600	1100/540/750	1390/540/750
- height	cm		79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg		68	60	74	80	119
With height adjustable frame							
- height	cm		64 - 92	64 - 92	64 - 92	64 - 92	64 - 92
- weight	kg		73	48	61	76	81

Island jewellers bench



Functionality

Jewellers bench has a circular profile at the front edge, giving the user a perfect working position.

An anvil is laid in at the centre of the profile and a grinding support is lined up with its outer edge. Both are important features if you desire the best working results.

Lervad jewellers bench is carefully crafted with details that inspire the users to focus on design and quality.



Take care of the valuables

When creating jewels and the likes you work with precious and often expensive materials. In order to minimise loss you work place might be equipped with a lap skin. Excess material is caught by the skin, which at the same time protect you clothing.

The skin formed like an open bag is provided with metal eyes that fit hooks underneath the top and a line around you waist.

When necessary or at end of work you loosen the skin and regain excess materials.

Lervad jewellers bench is prepared for creative work with jewels and semilar precious materials and tasks.

Island jewellers bench is square and has 4 working places, one at each side. It is available with solid beech frame or adjustable frame for varying working heights.

Line jewellers bench is modular and has as standard 1 or 2 working places.

However, line jewellers bench may be ordered with as many working places in line as you wish.

Line jewellers bench



Product program and prices (NB! Illustrations may include accessories)

Jewellers bench - model 693 & 695

Item no.	1 working place			Price excl. VAT	
693 10 73	Top mea. 30x900x600 mm	height	73 cm	£	500.-
693 10 79	-	-	79 cm		
695 10 73	Top mea. 30x900x750 mm	-	73 cm	£	530.-
695 10 79	-	-	79 cm		

Jewellers bench - model 694 & 696



Item no.	2 working places			Price excl. VAT	
694 10 73	Top mea. 30x1760x600 mm	height	73 cm	£	820.-
694 10 79	-	-	79 cm		
696 10 73	Top mea. 30x1760x750 mm	-	73 cm	£	870.-
696 10 79	-	-	79 cm		

Jewellers bench - model 698



Item no.	4 working places			Price excl. VAT	
698 10 73	Top mea. 30x1200x1200 mm	height	79 cm	£	1350.-
698 10 79	-	-	73 cm		
698 70 67	-	height adjustable	63 - 91 cm	£	2470.-

Accessories

Item no.	Accessories	Price excl. VAT	
066 90 00	Grinding support	£	25.-
000 80 97	Anvil	£	50.-
102 00 000	Jewellers lap skin (leather) incl. hooks for hanging	£	120.-

Specifications and measurements

Model		693	694	695	696	698
Bench top L/W	mm	900 x 600	1760 x 600	900 x 750	900 x 750	1200 x 1200
With open gate frame						
- height	cm	79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg	39	73	42	79	55
With height adjustable frame						
- height	cm					63 - 91
- weight	kg					73

Line bench



Lervad Line bench is a beautiful piece of furniture and an obvious response to the demand for benching along windows, walls or in free standing groups.

The 30 mm thick bench top as well as the frame is made of solid beech.



Functionality

Lervad Line bench is modular and is available in a short and a long version. The shorter has one module, the longer two, and both with the additional option of a shelf or cupboard.

It is unsurpassed as bench for light machinery. However, fitted with Lervad clamping tools it is well suited for student workplaces, too.

On castors the smaller benches may even work as a mobile work table.

Flexibility

A selection of accessories makes line bench ideal as multi function workbench as well.

With Lervad's woodwork vice, hold-down clamp and portable mechanics vice most requirements are covered.



For metalwork

For permanent metalwork Lervad line bench may be equipped with fixed mechanics vices.

In order to prevent damage and to assure extra durability an optional protective steel rail can be layed into the edge of the bench.

Product program and prices (NB! Illustrations may include accessories)

Line bench



Item no.	With open gate frame	Price excl. VAT
673 10 79	Top mea. 30x900x600 mm height 79 cm	£ 350.-
673 10 83	- - 83 cm	
674 10 79	Top mea. 30x1760x600 mm - 79 cm	£ 520.-
674 10 83	- - 83 cm	
675 10 79	Top mea. 30x900x750 mm - 79 cm	£ 360.-
675 10 83	- - 83 cm	
676 10 79	Top mea. 30x1760x750 mm - 79 cm	£ 560.-
676 10 83	- - 83 cm	



Item no.	With integrated cupboard	Price excl. VAT
673 30 79	Top mea. 30x900x600 mm height 79 cm	£ 660.-
673 30 83	- - 83 cm	
674 30 79	Top mea. 30x1760x600 mm - 79 cm	£ 1130.-
674 30 83	- - 83 cm	
675 30 79	Top mea. 30x900x750 mm - 79 cm	£ 680.-
675 30 83	- - 83 cm	
676 30 79	Top mea. 30x1760x750 mm - 79 cm	£ 1170.-
676 30 83	- - 83 cm	

Accessories

Item no.	Accessories	Price excl. VAT
646 00 00	Height Converter	£ 75.-
643 00 00	Jockey-wheels	£ 50.-
643 10 00	Set of 4 castors (2 with brakes)	£ 50.-
647 00 30	Shelf of birch plywood for model 671, 673 & 674	£ 45.-
647 00 33	- for model 675 & 676	£ 50.-
689 08 70	Woodwork Vice 200 mm jaw width	£ 105.-
105 34 000	Hold-down Clamp span 75 mm	£ 45.-
105 00 600	Mechanics Vice Record 100 mm jaw width	£ 90.-
105 00 500	- Record 75 mm jaw width	£ 85.-
640 03 00	Holder for Mech. Vice Record 75 mm jaw width	£ 75.-
677 09 00	- 900 mm, for model 671, 673 & 675	£ 30.-
677 17 00	- 1760 mm, for model 674 & 676	£ 50.-

Specifications and measurements

Model		673	674	675	676
Bench top L/W	mm	900 x 600	1760 x 600	900 x 750	1760 x 750
With open gate frame					
- height	cm	79, 83	79, 83	79, 83	79, 83
- weight	kg	24	43	27	49
With integrated cupboard					
- cupboards	no.	1	2	1	2
- cupboard	W	810	810	810	810
	H	540	540	540	540
	D	460	460	600	600
- height	cm	79, 83	79, 83	79, 83	79, 83
- weight	kg	39	73	42	79

Craft table



Lervad craft table is a robust and durable table for work with practically all types of materials.

The table is designed for heavy load and with ideal functionality in use.



Choice of worktop

Craft table is available with two different table tops.

Choose between

- 21 mm plywood with high pressure laminate.
5 standard colours (special colour on demand).

or

- 30 mm 2-layer woodfibre with solid beech edge.
The top woodfibre is 6 mm thick and replaceable.



Ergonomics

Craft table is available with a height adjustable frame for free setting of the working height.


As alternative Lervad height converter fitted to the open gate frame may adjust the height by 60 mm.

Jockey-wheels mounted at the one end gate assure easy moving.

Why not go for colour?

Craft table is now available with a surface of high pressure laminate.

You can choose from a palette of 5 standard colours, or if you like ask for a special colour that fits your wishes better.



Product program and prices (NB! Illustrations may include accessories)

Craft table



Item no.	With open gate frame				Price excl. VAT	
684 10 65	Top mea. 28x1500x750 mm	2 layer wood fibre	height	65 cm	£	450.-
684 10 73	-	-	-	73 cm		
684 10 79	-	-	-	79 cm		
684 10 83	-	-	-	83 cm		
684 11 65	Top mea. 22x1500x750 mm	plywood w/ laminate	-	65 cm	£	460.-
684 11 73	-	-	-	73 cm		
684 11 79	-	-	-	79 cm		
684 11 83	-	-	-	83 cm		
686 10 65	Top mea. 28x1500x1000 mm	2 layer wood fibre	-	65 cm	£	490.-
686 10 73	-	-	-	73 cm		
686 10 79	-	-	-	79 cm		
686 10 83	-	-	-	83 cm		
686 11 65	Top mea. 22x1500x1000 mm	plywood w/ laminate	-	65 cm	£	510.-
686 11 73	-	-	-	73 cm		
686 11 79	-	-	-	79 cm		
686 11 83	-	-	-	83 cm		
687 10 65	Top mea. 28x1800x1000 mm	2 layer wood fibre	-	65 cm	£	530.-
687 10 73	-	-	-	73 cm		
687 10 79	-	-	-	79 cm		
687 10 83	-	-	-	83 cm		
687 11 65	Top mea. 22x1800x1000 mm	plywood w/ laminate	-	65 cm	£	560.-
687 11 73	-	-	-	73 cm		
687 11 79	-	-	-	79 cm		
687 11 83	-	-	-	83 cm		

With height adjustable frame						
684 70 63	Top mea. 28x1500x750 mm	2 layer wood fibre	height	63 - 91 cm	£	1100.-
684 71 63	Top mea. 22x1500x750 mm	plywood w/ laminate	-	63 - 91 cm	£	1110.-
686 70 63	Top mea. 28x1500x1000 mm	2 layer wood fibre	-	63 - 91 cm	£	1240.-
686 71 63	Top mea. 22x1500x1000 mm	plywood w/ laminate	-	63 - 91 cm	£	1260.-
687 70 63	Top mea. 28x1800x1000 mm	2 layer wood fibre	-	63 - 91 cm	£	1300.-
687 71 63	Top mea. 22x1800x1000 mm	plywood w/ laminate	-	63 - 91 cm	£	1330.-

Accessories

Item no.	Accessories		Price excl. VAT	
646 00 00	Height Converter		£	75.-
643 00 00	Jockey-wheels		£	50.-
647 00 13	Shelf of birch plywood	for model 684	£	55.-
647 00 16	-	for model 686	£	60.-
647 00 26	-	for model 687	£	65.-

Specifications and measurements

Model		684	686	687
Table top L/W	mm	1500 x 750	1500 x 1000	1800 x 1000
Open gate frame				
- height	cm	65, 73, 79, 83	65, 73, 79, 83	65, 73, 79, 83
- weight	kg	38	56	62
Height adjustable frame				
- height	cm	63 - 91	63 - 91	63 - 91
- weight	kg	54	62	72

Work centre



Lervad work centre is an ideal solution for workshops in kindergarten, preschool and early key stages. It has 2 or 4 places and is fully equipped with clamping tools, tools and room for storage. All in one self-contained unit.

The larger model has large overhang with extra leg-room for seated work.



Safety in focus

For traditional clamping a Lervad woodwork vice is applied, and for clamping on top a hold-down clamp is an ideal supplement.

The work centre is equipped with reversible tool racks. For increased safety they may be fitted with locks.



A work centre is more than an ordinary work table

Without woodwork vices Lervad work centre is very well suited as an ordinary work table.


However, the full potential is reached by adding clamping tools, fitting the interior with sliding storage trays and covering the frame by tool racks and security panels.



Security panel



Tool rack
(own finishing)



Tool rack
w/ Tool set A



Tool rack
w/ Tool set B

Tool racks and tool sets

Lervad has defined a couple of standard tool sets to be accommodated in fitted tool racks.



Product program and prices

"Basic"



Item no.	Top with open gate frame including mentioned accessories		Price excl. VAT	
	Incl. height converter, jockey-wheels, 2x woodwork vice, 2x hold-do			
689 15 xx0	Work top 1000 x 750 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	875.-
	Incl. height converter, jockey-wheels, 4x woodwork vice, 2x hold-down clamp			
689 10 xx0	Work top 1500 x 750 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	1185.-
689 13 xx0	Work top 1500 x 1000 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	1285.-

"All-in"



Item no.	"Basic" including mentioned accessories		Price excl. VAT	
	Incl. 2x tool rack with tools 1A & 1B, 2x security panel, 3x sliding tray with runners			
689 15 xx2	Work top 1000 x 750 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	1565.-
	Incl. 3x tool rack with tools 2A & 1B, 3x security panel, 6x sliding tray with runners			
689 10 xx2	Work top 1500 x 750 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	2265.-
689 13 xx2	Work top 1500 x 1000 mm	(xx = working height 66 cm, 73 cm or 79 cm)	£	2365.-

Work Centre top and frame



Item no.	Work top with gate frame		Price excl. VAT	
689 15 66	Work top 1000 x 750 mm	height 66 cm	£	450.-
689 15 73	-	- 73 cm		
689 15 79	-	- 79 cm		
689 10 66	Work top 1500 x 750 mm	height 66 cm	£	550.-
689 10 73	-	- 73 cm		
689 10 79	-	- 79 cm		
689 13 66	Work top 1500 x 1000 mm	height 66 cm	£	650.-
689 13 73	-	- 73 cm		
689 13 79	-	- 79 cm		

Accessories

Item no.	Flexibility and clamping		Price excl. VAT	
646 00 00	Height Converter		£	75.-
643 00 00	Jockey-wheels		£	50.-
689 08 70	Woodwork Vice	jaw width 200 mm	£	105.-
105 34 000	Hold-down Clamp	span 75 mm	£	45.-
689 05 15	Tool rack	for Tool set A	£	75.-
689 05 16	-	for Tool set B	£	75.-
689 05 151	Tool set	A, basic tools for 1-2 children	£	150.-
689 05 161	-	B, supplementary tool for 2-4 children	£	150.-
689 05 10	Security panel		£	45.-
689 05 12	Tool Rack	for own finishing	£	65.-
689 05 31	Sliding tray with high edges		£	30.-
689 05 25	Pair of runners	1050 mm, for Work top L=1500 (2 trays)	£	30.-
689 05 26	-	530 mm, for Work top L=980 (1 tray)	£	20.-
646 10 054	Barrel locks	4 barrels, 2 keys	£	105.-
646 10 056	-	6 barrels, 2 keys	£	145.-

Specifications and measurements

Model		689 15	689 10	689 13
Table top L/W	mm	1000 x 750	1500 x 750	1500 x 1000
Open gate frame				
- height	cm	66, 73, 79	66, 73, 79	66, 73, 79
- Weight "basic"	kg	33	45	54
- Weight "all-in"	kg	49	70	79



Lervad roller shutter cabinet is the answer to the constantly demanding requirement for storage. Roller Shutters require less space for operation than hinged cabinet doors and make the interior easy accessible.

For safety reason the roller shutter opens downwards. When turning the key the shutter coils up in the base in a self braking snail fashion bringing it to a gentle halt.



Maximum utilization of space

For extra storage top cabinets can be fixed to standard high cabinets creating complete cabinet walls.

Steel guiding pins between the main and the top cabinet secure correct position and prevent displacement.



Quality for active use

Lervad roller shutter cabinet is designed for use in environments with heavy load.

With its extra strong carcass it is born for the year long use in workshops and other tough environments.

When used as tool cupboards the cabinet is provided with fitting precisely adapted to the set of tools to be accommodated, either that being one of Lervads standard tool sets or a user defined set of tools.

All cabinets have a high quality barrel lock.



Roller shutter cabinet with plain shelves

Flexibility in use

Cabinets are available with straight and sloping shelves. Model 900 only with straight shelves.

The position of all straight shelves may be changed.



Model 780

W/D/H:
800 x 400 x 1800 mm



Model 800

W/D/H:
1200 x 400 x 1800 mm



Model 900

W/D/H:
1000 x 610 x 1800 mm

Roller shutter cabinet with functional interior

Safety and efficiency

Lervad's functional fitted cabinets are designed with the user's safety and ideal tool control in mind.

Each tool has a unique place. Sharp edges are placed protected preventing accidents and users getting hurt.

Maximum safety is achieved by choosing interiors for standard tool set. Tool racks are cut to fit each and everyone of the tools 100 %, nothing less. The cabinet is so to speak doing the counting itself.

For users wishing to make own interior "virgin cabinets" are available. The user just applies the final touch.



Model 780 62 00 - Virgin

W/D/H:
800 x 400 x 1800 mm



Model 800 56 00 - Virgin


W/D/H:
1200 x 400 x 1800 mm



**Interior built to
user specifications**

Model 780 xx xx

According to user
tool schedule.



**Interior built to
user specifications**

Model 800 xx xx

According to user
tool schedule.

Maximum freedom

When demands for interior layouts go beyond our standard program, Lervad builds cabinets to user specifications.

The user provides a tool schedule and a copy of each of the tools. Lervad takes care of the rest.

Please request a quotation.



Model 780 54 00

With one moveable and two fixed shelves.
Two units with 24 drawers each.



Model 780 55 00

For occasional tools for a small workshop.
(re. tool schedule).



Model 780 56 00

For paperwork tools
(re. tool schedule).



Model 780 57 00

For pottery tools
(re. tool schedule).



Model 780 60 00

For leather tools
(re. tool schedule).



Model 780 61 00

For textiles tools
(re. tool schedule).



Model 780 63 00

With 4 shelves fitted for 12 portable mechanics vices.



Model 780 64 00

For 16 sets of student's
woodwork tools, no planes
(re. tool schedule)



Model 780 64 50

For 16 sets of student's
woodwork tools
(re. tool schedule)



Model 780 69 00

For clamp set.
2 beech shelves with pins
separating the clamps.



Model 780 70 00

For occasional
woodwork tools
(re. tool schedule).



Model 780 71 00

For occasional
metalwork tools
(re. tool schedule).



Model 800 20 00
For occasional woodwork tools
16 students
(re. tool schedule).



Model 800 30 00
For occasional metalwork tools
8 students
(re. tool schedule).



Model 800 53 00
For student's and occasional
woodwork tools
(re. tool schedule).



Model 800 62 00
For student's and occasional
metalwork tools
(re. tool schedule).




Model 800 58 00
With 12 portable drying grates.



Model 800 59 50
With 6 portable drying grates,
5 shelves and
2 x 6 plastic containers.



Model 800 63 00
With 4 shelves fitted for
20 portable mechanics vices.



Model 800 64 50
For 24 sets of student's
woodwork tools
(re. tool schedule).




Model 800 65 00
For 20 hacksaw frames and
20 tool racks.
(re. tool schedule).



Model 800 66 00
For electronics tools
(re. tool schedule).



Model 800 67 00
For metalwork tools and
portable mechanics vices.
(re. tool schedule).



Model 800 70 00
For occasional wood- and
metalwork tools
(re. tool schedule).

Product program and prices (NB! Illustrations may include accessories)

Roller shutter cabinet



Item no.	Carcass	Price excl. VAT
780 00 00	Cabinet W/D/H: 800 x 400 x 1800 mm	£ 650.-
800 00 00	- 1200 x 400 x 1800 mm	£ 730.-
900 00 00	- 1000 x 600 x 1800 mm	£ 730.-

Roller shutter cabinet with shelves



Item no.	Model 780 - W/D/H: 800 x 400 x 1800 mm	Price excl. VAT
780 02 00	Cabinet with 2 shelves	£ 710.-
780 03 00	- 3 shelves	£ 740.-
780 04 00	- 4 shelves	£ 770.-
780 04 25	- 4 sloping shelves 20 dg.	€ 790.-
780 04 50	- 4 sloping shelves 45 dg.	£ 790.-
780 00 90	Shelf 20 x 748 x 345 mm	£ 30.-
780 00 95	Sloping shelf 20 x 748 x 345 mm with end stop	£ 35.-



Item no.	Model 800 - W/D/H: 1200 x 1800 x 400 x 1800 mm	Price excl. VAT
800 02 00	Cabinet with 2 shelves	£ 810.-
800 03 00	- 3 shelves	£ 850.-
800 04 00	- 4 shelves	£ 890.-
800 04 25	- 4 sloping shelves 20 dg.	£ 910.-
800 04 50	- 4 sloping shelves 45 dg.	£ 910.-
800 00 90	Shelf 20 x 1148 x 345 mm	£ 40.-
800 00 95	Sloping shelf 20 x 1148 x 345 mm with end stop	£ 45.-



Item no.	Model 900 - W/D/H: 1000 x 610 x 1800 mm	Price excl. VAT
900 02 00	Cabinet with 2 shelves	£ 820.-
900 03 00	- 3 shelves	£ 865.-
900 04 00	- 4 shelves	£ 910.-
900 00 90	Shelf 20 x 948 x 345 mm	£ 45.-

Roller shutter top cabinet



Item no.	Cabinet with 1 shelf	Price excl. VAT
781 01 00	Cabinet W/D/H: 800 x 400 x 700 mm	£ 420.-
801 01 00	- 1200 x 400 x 700 mm	£ 470.-
901 01 00	- 1000 x 600 x 700 mm	£ 470.-

Roller shutter cabinet with "Virgin interior"



Item no.	Cabinet with "Virgin interior"	Price excl. VAT
780 14 25	W/D/H: 800 x 400 x 1800 mm "virgin backplate" & 4 sloping shelves 20 dg.	£ 820.-
780 62 00	- 800 x 400 x 1800 mm "virgin interior" for model 780 55 00	£ 880.-
800 14 25	- 800 x 400 x 1800 mm "virgin backplate" & 4 sloping shelves 20 dg.	£ 950.-
800 56 00	- 1200 x 400 x 1800 mm "virgin interior" for model 800 53 00	£ 1130.-
800 76 00	- 1200 x 400 x 1800 mm "virgin interior" for model 800 70 00	£ 1220.-

Roller shutter cabinet with fitted interior



Item no.	Model 780 - W/D/H: 800 x 400 x 1800 mm	Price excl. VAT
780 54 00	3 shelves and 2 units with drawers	£ 820.-
780 55 00	Occasional tools for a small workshop	£ 1040.-
780 56 00	Paperwork tools	£ 870.-
780 57 00	Pottery tools	£ 920.-
780 60 00	Leather tools	£ 900.-
780 61 00	Textiles tools	£ 930.-
780 63 00	4 shelves fitted for 12 portable mechanics vices	£ 880.-
780 64 00	Woodwork tools, without shelf for planes	£ 780.-
780 64 50	Woodwork tools, with shelf for planes	£ 850.-
780 69 00	2 shelves for set of clamps	£ 750.-
780 70 00	Occasional woodwork tools	£ 1040.-
780 71 00	Occasional metalwork tools	£ 950.-

Product program and prices (continued)

Roller shutter cabinet with fitted interior (continued)



Item no.	Model 800 - W/D/H: 1200 x 1800 x 400 x 1800 mm	Price excl. VAT
800 20 00	Occasional tools for woodwork	£ 1180.-
800 30 00	Occasional tools for metalwork	£ 1100.-
800 53 00	Student's and occasional woodwork tools	£ 1300.-
800 62 00	Student's and occasional metalwork tools	£ 1220.-
800 58 00	12 portable drying grates	£ 1250.-
800 59 50	6 portable drying grates, 5 shelves and 2 x 6 plastic containers	£ 1140.-
800 63 00	4 shelves for 20 portable mechanics vices	£ 1050.-
800 64 50	Woodwork tools, with shelf for planes	£ 1000.-
800 65 00	Metalwork tools, on back panel and in tool racks	£ 860.-
800 66 00	Electronics tools	£ 1050.-
800 67 00	Metalwork tools and portable mechanics vices	£ 1120.-
800 70 00	Occasional wood- and metalwork tools	£ 1400.-

Tools re. tool schedules

Item no.	Model 780	Price excl. VAT
780 55 101	Tool set occasional wood- and metalwork tools	£ req. quote
780 56 101	- paperwork tools	£ req. quote
780 57 101	- pottery tools	£ req. quote
780 60 101	- leather tools	£ req. quote
780 61 101	- textiles tools	£ req. quote
780 64 601	- student's woodwork tools (excl. planes), 16 students	£ req. quote
780 64 601	- student's woodwork tools (incl. planes), 16 students	£ req. quote
780 70 101	- occasional woodwork tools	£ req. quote
780 71 101	- occasional metalwork tools	£ req. quote

Item no.	Model 800	Price excl. VAT
800 20 101	Tool set occasional tool woodwork	£ req. quote
800 30 101	- occasional tool metalwork	£ req. quote
800 53 101	- student's and occasional woodwork tools, 12 students	£ req. quote
800 62 101	- student's and occasional metalwork tools, 12 students	£ req. quote
800 64 601	- student's woodwork tools (incl. planes), 24 students	£ req. quote
800 66 101	- electronics tools	£ req. quote
800 67 101	- student's and occasional metalwork tools, 5 students	£ req. quote
800 70 101	- occasional woodwork tools	£ req. quote
800 70 102	- occasional metalwork tools	£ req. quote

Accessories

Item no.	Accessories	Price excl. VAT
780 00 96	Shelf rubbercoat for sloped tool shelf (re. model 780 04 25)	£ 15.-
800 00 96	- for sloped tool shelf (re. model 800 04 25)	£ 20.-
101 19 610	Box for student's work L/W/H 350 x 260 x 160 mm, solid pine	£ 35.-

Specifications and measurements

Model	780/781	800/801	900/901
High roller shutter cabinet			
- W/D/H exterior	mm 800 x 400 x 1800	1200 x 400 x 1800	1000 x 610 x 1800
- W/D/H interior	mm 748 x 360 x 1400	1148 x 360 x 1400	948 x 570 x 1400
- Weight with 4 shelves	kg 68	88	108
Roller Shutter Top Cabinet			
- W/D/H exterior	mm 800 x 400 x 700	1200 x 400 x 700	1000 x 610 x 700
- W/D/H interior	mm 748 x 360 x 500	1148 x 360 x 500	948 x 570 x 500
- Weight with 1 shelf	kg 32	40	49



Safety and responsibility are key words when dealing with tools. When using Lervad portable tool rack all frequently used tools are directly accessible for each student. At the same time traffic in the workshop is reduced.

In combination with Lervad roller shutter cabinet the portable tool rack system makes surveillance and control a simple task.



Built to specifications

Lervad portable tool rack has a finished interior prepared for standard tool set.

For customers with own tool set the racks may be built to user specifications.

Alternatively plain racks for own finishing are available.

Product program and prices (NB! Illustrations may include accessories)

Tool rack, for own finishing



Item no.					Price excl. VAT	
652 01 51	Tool Rack	3 layers	with hooks		£	70.-
652 01 55	-	-	without hooks		£	60.-
652 97 01	-	2 layers	with hooks		£	60.-
652 97 05	-	-	without hooks		£	50.-

Tool rack, finished interior



Item no.					Price excl. VAT	
652 52 00	Tool Rack	2 layers	for Tool set "15 x tools for wood"		£	70.-
652 94 00	-	-	for Tool set "15 x tools for metal"		£	70.-
652 97 00	-	-	for Tool set "15 x tools for wood/metal"		£	70.-

Tool sets re. tool schedule

Item no.					Price excl. VAT	
652 52 101	Tool set	"15 x tools for wood"			£	225.-
652 94 101	-	"15 x tools for metal"			£	180.-
652 97 101	-	"15 x tools for wood/metal"			£	165.-

Specifications and measurements

Model		652 01 51		652 97 01	
Width / height	mm	340 x 400		340 x 400	
Layers	no.	3		2	
Depth of tool block	mm	132		92	
Weight	kg	3,5		2,2	



X390 is a modern cabinet developed for use in environments with a high level of activity.

The design meets the wish of demanding clients for maximum functionality and equally flexibility.

X390 has a depth of 390 mm and is based on a module of 375 mm high and 390 mm wide.

A base module has the dimensions

D/W/H: 390 x 390 x 375 mm.

Standard modules are:

- Module 21: 2 wide, 1 high
- Module 22: 2 wide, 2 high
- Module 24: 2 wide, 4 high

The modules 22 and 24 come in two versions - for hinged doors and with roller shutter, where as module 21 comes for hinged doors only.

Of course X390 is superb without front, too.

All modules are prepared for "building". The correct and safe positioning of one unit on top of another is secured by strong combining dowels the sidings.

The cabinets may be placed on a 100 mm base or, when a mobile solution is required, on castors.

The sidings have predrilled holes for flexible and easy adaptable interior solutions. There is a choice between shelves, drawers or special interior according to client specifications.

Lervad's well known solutions for accommodating tools are adapted to X390. Thus X390 works perfectly as tool cupboards with full control of the tools.

The base material for X390 is birch plywood in furniture quality. The carcass has 18 mm sidings, top and bottom and 6 mm back. The 15 mm shelves are fixed with Raxfix carcass binders giving extra strength and stability.

Doors and drawer fronts are 15 mm. The Roller shutter is 6 mm with 8 mm strips.


As standard all parts are surface treated with environmentally friendly clear lack with white colour pigments. Other colours for the complete solution or e.g. just doors and drawer fronts are available based on client wishes.

Roller shutter, doors and outside drawer comes with a furniture lock.

The roller shutter opens upwards and may be locked in both closed and open position.

As top cover for 2 or 4 cabinets (2 x 2) placed back to back topplates are available. You may even choose a top with applied laminate in standard colour. Other colours are available on request.

Standard colours (add the number to the order code):



Product program and prices

X390 open and with doors



Carcass L21
WDH: 78x39x37.5 cm
Item no. G3903750
£ 190.-



Lågesæt 21
WH: 78x37.5 cm
Item no. G3920001
£ 90.-



Carcass L22
WDH: 78x39x75 cm
Item no. G3907500
£ 240.-



Lågesæt 22
WH: 78x75 cm
Item no. G3920002
£ 120.-



Carcass L24
WDH: 78x 39x1500 cm
Item no. G3915000
£ 370.-



Lågesæt 24
WH: 78x1500 cm
Item no. G3920004
£ 190.-

X390 with roller shutter



Carcass J22
WDH: 78x39x75 cm
Item no. G3907505
£ 360.-



Carcass J24
WDH: 78x39x1500 cm
Item no. G3915005
£ 560.-



Shelf
WD: 74x37 cm
Item no. G3940001
£ 35.-



Base
WDH: 78x35x10 cm
Item no. G3950012
£ 50.-



Sloping shelf
WD: 74x37 cm
Item no. G3940002
£ 45.-



Base plate w/ castors
WDH: 76x76x10 cm
Item no. G3950122
£ 100.-



Drawer U3
WDH: 78x37x32 cm
Item no. G3930003
£ 140.-



Base plate w/ castors
WDH: 154x76x10 cm
Item no. G3950142
£ 150.-




Top plate
WD: 80x83 cm
Item no. G3960022
"Nature": £ 55.-
"Laminate": £ 110.-



Shelf
WD: 74x35 cm
Item no. G3940051
£ 35.-



Sloping shelf
WD: 74x35 cm
Item no. G3940052
£ 45.-



Drawer I1
WDH: 74x35x10 cm
Item no. G3930051
£ 95.-



Top plate
WD: 80x80 cm
Item no. G3960522
"Nature": £ 55.-
"Laminate": £ 110.-



Top plate
WD: 158x80 cm
Item no. G3960524
"Nature": £ 100.-
"Laminate": £ 200.-

General sales and delivery terms

These general sales and delivery terms ("Delivery Terms") apply to all deliveries of products and/or services ("Products") from Lervad A/S ("Lervad") to any customer ("Buyer"). Delivery Terms shall be mutually binding on Lervad and Buyer, unless otherwise expressly agreed. Lervad is not bound by the terms set forth by the Buyer, which differs from Delivery Terms, unless such conditions agreed in writing between Lervad and Buyer. Lervad is not bound by the terms set forth by the Buyer, even if Lervad not have objected to such conditions.

1. Order Confirmation

Buyers offer to purchase is only accepted when the Buyer has received Lervad's written, including electronically, acceptance of the offer or Lervad within the acceptance period has received written, including electronically, compliant acceptance by Buyer on a sales offer from Lervad.

2. Delivery and transfer of risk

The Products are delivered ex works Nørre Aaby, Denmark. In the absence of information from the Buyer on transport, Lervad is entitled to ship Products to Buyer on one of Lervad chosen mode of transport. All resulting costs is to be borne by the Buyer and transport takes place at Buyer's risk. Ex works should be interpreted in accordance with the Incoterms in force at the time of the purchase agreement.

3. Delay

If Lervad does not deliver on time, Buyer may in writing demand delivery within a final, reasonable period. Should delivery not take place within this period, the Buyer is entitled to rescind the contract and claim damages for proven direct losses. Buyer cannot hold Lervad accountable for any additional losses as a result of the delay.

4. Prices

Prices for Products are exclusive of VAT and/or other charges. Lervad reserves the right to adjust prices for undelivered Products in case of currency fluctuations, price increases from suppliers, material price increases, changes in wages, government intervention or similar conditions.

5. Packing

Disposable packaging is included in the prices and will not be refunded if returned. Reusable packaging is not included in the price, but will be credited to Buyer upon immediate, free return in good condition in accordance with Lervad's instructions.

6. Payment Terms

Payment must be made within 15 days of the invoice date. Late payments are subject to a penalty interest of 2% per month.

7. Product Information

Any product information - whether it comes from Lervad or one of Lervad's business partners - including information on weight, dimensions, capacity or other technical data in the catalog description, prospectus, advertisement, etc., are to be considered as illustrative and is only binding to the extent, Lervad explicitly mention in promotions and/or order confirmation. Specific requirements from Buyer is binding only to the extent that they are confirmed in writing by Lervad.

8. Protected and confidential information

Any information that is not publicly available, including drawings and technical documents handed over by Lervad to Buyer ("Confidential Information") shall remain Lervad's property and must be treated as confidential by the Buyer. Confidential Information shall not without Lervad's written consent be copied, reproduced or transferred to third parties or used for purposes other than those intended by the transfer. Confidential Information shall be returned on demand.

9. Changes

Lervad reserves the right, without notice to make changes to its products, if this can be done without significantly changing the agreed technical specifications and without substantial modification of the Products form or function.

10. Free repair

Lervad undertake at its own discretion to repair or replace Products which after Lervad's examination proves to be defective at the time of delivery due to manufacturing, design or workmanship, provided that Buyer complain within 12 months from the date of delivery. In case of a complaint Buyer sends, subject to prior agreement with Lervad, product to Lervad accompanied by a delivery note specifying the alleged deficiency. Shipping and insurance is paid for by the Buyer. If Lervad's examination shows the product is not defective, the Product is returned to Buyer. Shipping and insurance is paid for by the Buyer. If Lervad identify deficiencies, Lervad sends the repaired Product or a replacement Product to the Buyer and take over the replaced parts or the defective Product. Lervad choose mode of transport and pays for freight and insurance. Buyer shall not be entitled to any additional services or damages from Lervad as a result of defective products.

11. Product Liability

Lervad is not responsible for any damage caused by a product on real estate or personal property that occurs while the product is in Buyer's possession.

12. Consequential damages/Indirect losses

Lervad is not liable to the Buyer for any consequential or indirect loss arising from or in relation to a contract governed by these Delivery Terms, including, but not limited to, production interruption, loss of profit, loss of goodwill or loss of data.

13. Complaints

Claims for defects, delays, product liability or other claims for compensation must be made in writing to Lervad without undue delay.

14. Intellectual Rights

Besides the Product itself the Buyer acquires no rights in the form of license, patent, copyright, trademark or other intellectual property right related to the Product.

15. Force majeure

Lervad is entitled to cancel the order or suspend delivery of Products, and is also free of responsibility for any missing, incomplete or late delivery, in whole or in part due to circumstances beyond Lervad's reasonable control options, such as riots, civil commotion, war, terrorism, fire, government regulations, strikes, lockouts, slow-down, lack of transportation, shortages, disease or delay in or failure of the supplies from the supplier, accidents in the production or testing, or lack of energy. All Buyer's rights will be suspended or lapse in such cases. Buyer may neither in case of cancellation or delayed delivery seek damages or make any other claims against Lervad.

16. Partial Invalidity

If one or more provisions of these Delivery Terms should be revoked, illegal or unenforceable, none of the remaining provisions validity, legality or feasibility will be affected or impaired thereof.

17. Disputes

Any disputes between the parties arising out of or related to a purchase agreement, which is regulated by these Delivery Terms shall be governed by Danish law. Any dispute which can not be solved amicably shall be brought before the court by Lervad's jurisdiction.



Reseller:



Lervad (U.K.) Ltd.

823 Salisbury House, 29 Finsbury Circus
London EC2M 5QQ

Tel: 020 7374 8440 - Fax: 020 7374 8438

E-mail: mail@lervad.com - www.lervad.com